

Iveco Daily 24-

Mounting instructions
Art. 85267570, 85267571
Eurobar

English



WWW.METEC.EE

Scan the QR code
for translated
instructions or visit
metec.ee/instructions




Weight: 7,8 kg
Time of mounting w/o wiring: 60 min

Required tools:



A2 / A4		Zn
M6	- 7 Nm	M10 - 47 Nm
M8	- 17 Nm	



Pos	Description	QTY
1.	Eurobar	1
2.	Bracket	1
3.	Bracket	1
4.	Lamp fixing bracket	2
5.	Plate	2
6.	Bracket	1
7.	Bracket	1
8.	Square washer	2
9.	Bracket	1
10.	Bracket	1

Pos	Description	QTY
11.	Bushing	2
12.	Bolt M6x16 DIN7380-A2	2
13.	Bolt M6x50 DIN931-A4	2
14.	Bolt M8x20 DIN7380-A2	16
15.	Bolt M10x30 DIN933-galZn	2
16.	Nut M6 DIN985-A2	2
17.	Nut M8 DIN985-A2	4
18.	Nut M10 DIN985-galZn	2
19.	Flat Washer 6,4x18x1,6	6
20.	Flat Washer 8,4x16x1,6	2

Pos	Description	QTY
21.	Flat Washer 8,4x24x2	12
22.	Flat Washer 10,5x20x2	4
23.	Spring washer A6	2
24.	Spring washer A8	12






NB!



To prevent cold welding, use cold weld grease or engine oil






Installation of the lights must be carried out by a qualified electrician only



Iveco Daily 24-

Art. 85267570, 85267571

Eurobar



Check and retighten the fasteners:
Road vehicles: every 10 000km
Heavy machinery: every 500 work hours



Clean the product twice a month to remove dirt, salt, and debris that may cause surface discoloration or rust spots

In case of any defects or damage to the METEC product upon delivery, contact the reseller or point of sale where you made your purchase for resolution